

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## GLOW - 70mg

Tested for: Kovalabs

COA #: COA-2026-N40G9Z  
Lot Number: GLOW-288  
Labeled Content: 70mg  
Volume: 3mL

Analysis Date: 08/18/2026  
Appearance: Good  
Volume: 3mL  
Date Received: 08/14/2026

Method: Purity, Identity & Quantitation (HPLC)

PASS



Scan to verify  
authenticity at ils-lab.com  
Access Code: 42A5MDU8

|             |                |                                                                                                          |
|-------------|----------------|----------------------------------------------------------------------------------------------------------|
| Identity    | Peptide Purity |  <b>Fentanyl Free</b> |
| <b>GLOW</b> | <b>99.90%</b>  |                                                                                                          |


### Purity, Identity & Quantitation (HPLC)

| Analyte                   | Specification                | Result       | Unit | Status |
|---------------------------|------------------------------|--------------|------|--------|
| Peptide Purity (HPLC)     | >= 95.0%                     | 99.90%       | %    | PASS   |
| Net Blend Peptide Content | Report Only                  | 74.62        | mg   | N/A    |
| -- GHK-Cu                 |                              | 53.73        | mg   |        |
| -- BPC-157                |                              | 10.60        | mg   |        |
| -- TB-4                   |                              | 10.30        | mg   |        |
| Identity (HPLC-RTM)       | GHK-CU + BPC-157 + TB-4      | Confirmed    | -    | PASS   |
| Fentanyl Screen           | Immunoassay, 50 ng/mL cutoff | Not Detected | -    | PASS   |



GLOW 70mg - GLOW-288

### HPLC Chromatogram



GLOW 70mg - GLOW-288: UV Chromatogram

### Notes & Methodology

- Date Tested: 08/18/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be GLOW by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Purity values are capped at 99.9% to reflect instrument limit of detection (LOD). Trace impurities below the detection threshold may be present.
- Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK-Cu, BPC-157, TB-4). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



*Dr. Greg Kalyuzhny*

**Dr. Greg Kalyuzhny**  
Lab Director  
8/18/2026

COA #: COA-2026-N40G9Z  
Access Code: 42A5MDU8  
Verify: portal.ils-lab.com  
Issued: 8/18/2026