

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

AOD-9604 - 5mg

Tested for: Kovalabs

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: DHMEVTX2

COA #: COA-2026-DN6SQZ
Lot Number: AOD5-294
Accession #: ACC-2026-16030
Labeled Content: 5mg

Analysis Date: 08/18/2026
Appearance: Good
Volume: 3mL
Date Received: 08/14/2026

Method: Purity, Identity & Quantitation (HPLC)

Identity

AOD-9604

Peptide Purity

99.90%



Fentanyl
Free


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.90%	%	PASS
Net Peptide Content	Report Only	5.33	mg	N/A
Identity (HPLC-RTM)	AOD-9604	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



AOD-9604 5mg - AOD5-294

HPLC Chromatogram



AOD-9604 5mg - AOD5-294: UV Chromatogram

Notes & Methodology

- Date Tested: 08/18/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be AOD-9604 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Purity values are capped at 99.9% to reflect instrument limit of detection (LOD). Trace impurities below the detection threshold may be present.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
8/18/2026

COA #: COA-2026-DN6SQZ
Access Code: DHMEVTX2
Verify: portal.ils-lab.com/verify/UUGmHGuf1O_8SDi
Issued: 8/18/2026