

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Epithalon - 10mg

Tested for: Kovalabs

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: JSEVU2X2

COA #: **COA-2026-0K524V**
Lot Number: **EP10-308**
Accession #: **ACC-2026-16032**
Labeled Content: **10mg**

Analysis Date: **08/27/2026**
Appearance: **Good**
Volume: **3mL**
Date Received: **08/14/2026**

Method: **Purity, Identity & Quantitation (HPLC)**

Identity
Epithalon

Peptide Purity
99.55%




Epithalon 10mg - EP10-308

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.55%	%	PASS
Net Peptide Content	Report Only	10.47	mg	N/A
Identity (HPLC-RTM)	Epitalon	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



Epithalon 10mg - EP10-308: UV Chromatogram

Notes & Methodology

- Date Tested: 08/27/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Epithalon by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com



Dr. Greg Kalyuzhny
Lab Director
8/27/2026

COA #: **COA-2026-0K524V**
Access Code: **JSEVU2X2**
Verify: portal.ils-lab.com/verify/hfAucXhndvwhP2Fj
Issued: 8/27/2026